

SECTION XIII

INDEX

## INDEX

### A

Abrasion resistance, ADI 4-19  
Adhesive bonding 8-11  
ADI 4-8, 11, 13  
ADI – Fatigue Coefficient 4-18  
ADI see Austempered Ductile Iron  
ALLOY DUCTILE IRONS – Section V  
    see Ductile Ni-Resist Irons  
    see Silicon-molybdenum Ductile Irons  
Aluminum  
    effect on creep, rupture strengths 3-23  
    effect on oxidation resistance 3-25  
Aluminum coating  
    effect on corrosion fatigue 3-35  
Annealing, 7-3, 5  
    effect on hardness 3-19, 21  
    effect on matrix, microstructure 3-19, 21  
    effect on tensile properties 3-19, 21  
    sub-critical 3-45, 53, 7-3, 5  
    effect on toughness properties 3-45, 53  
As-cast Ductile Iron 2-13  
    advantages 7-1  
    hardness 3-19  
    pearlite content 3-19  
    tensile properties 3-19  
ASTM A536 grades  
    tensile & hardness properties 3-9  
    vs Quality Index 3-9  
ASTM specifications 12-0-5  
AUSFERRITE 4-5  
AUSTEMPERED DUCTILE IRON – Section IV  
    abrasion resistance 4-19  
        effect on strain induced  
        transformation to martensite 4-5  
        vs steels 4-15  
    applications 4-37-41  
    ASTM A897 specification 4-7, 12-5  
    austempering temperature 4-31  
    dimensional changes 4-23  
        effect on fatigue properties 4-15  
        effect on mechanical properties 4-1, 31  
    austenite  
        effect on toughness 4-5  
        effect of austempering temperature 4-5, 31  
        effect of abrasion 4-19  
        retained/enriched/stabilized 4-5  
    austenitizing temperature 4-23  
    Charpy impact properties 4-13, 4-9  
    crankshafts, fatigue properties 3-37  
        effect of fillet rolling 3-37  
    effect of composition 4-27, 29  
    fatigue properties  
        crankshafts 3-37, 4-41  
        effect of shot peening 4-35, 9-1  
        effect of surface deformation 4-35, 9-1, 3  
        effect of surface rolling 3-37, 4-35, 9-3  
        endurance ratio 4-15

        notch sensitivity ratio 4-15  
        of gears 4-11  
        vs steels 4-16, 17  
    fracture toughness 4-7  
        effect of heat treatment 4-7  
        effect of manganese 4-27, 26  
    hardenability 4-5  
    heat treatment 4-29, 31, 33  
    machinability 4-21  
    mechanical properties 4-1, 3, 5  
    modulus of elasticity 4-6  
    production control 4-25  
    strain induced transformation  
        to martensite 4-5, 19  
Austenite 2-5  
Austenitic Ductile Iron  
    see Ductile Ni-Resist Irons  
Austenitizing 7-3, 5, 7  
    effect of composition 7-3, 5  
    effect of microstructure 7-3, 5

### B

Bainite 7-7, 2-7, 2-13, 5-1  
Bainitic Ductile Iron (Fig. 7.6 Hardness & H.T.)  
BRAZING – Section VIII

### C

Carbide 2-5  
Carbide content  
    effect on DEM 3-17  
    effect on machinability 3-17, 6-3  
    effect on shrinkage/porosity 3-17  
    effect on tensile properties 3-17  
Carbon Equivalent  
    effect on graphite flotation 3-17  
Cast iron 2-3  
Casting design 10-1, 3  
Charpy impact properties  
    Ductile Ni-Resist Irons 5-11  
    effect of composition 3-43, 45  
    effect of heat treatment 3-45  
    effect of loading rate 3-41  
    effect of microstructure 3-43, 47  
    effect of notch 3-41  
Charpy impact test 3-41  
    deficiencies of 3-49  
Coatings see Section IX  
    effect on corrosion fatigue 3-35  
Coining 6-5  
Compressive properties vs hardness 3-55  
Controlled shakeout 7-3  
Conversions to Ductile Iron 10-1  
Conversions units 12-11  
Copper  
    effect on hardenability 4-26, 27, 29  
    effect on impact properties 3-45  
    effect on mechanical properties 3-19, 21

Corrosion Resistance 3-65, 5-13  
 Cost reduction through design 10-1, 11-3  
 Crankshaft fatigue properties 3-37  
   ADI, effect of fillet rolling 3-37  
 Creep strength  
   effect of aluminum 3-23  
   effect of molybdenum 3-23, 5-5  
   effect of silicon 3-23, 5-3  
   high-Si, Si-Mo Ductile Irons 5-3, 5  
   unalloyed Ductile Iron 3-23  
 Critical temperature 7-3  
   effect of silicon 5-1  
   effect on heat treatment 7-3  
 Cyclic properties 10-6

## D

Damping capacity 3-55  
 Ductile Iron vs Gray Iron and Steel 3-57  
   effect of carbon content & matrix 3-59  
   effect of nodularity 3-57  
 DEM see Dynamic Elastic Modulus  
 Density 3-59  
 DESIGNING WITH DUCTILE IRON – Section X  
   conversions to Ductile Iron 10-1  
   for casting soundness 10-3  
   freedom of design 10-1  
   in manufacturability 10-1  
   in product quality 10-1  
   to optimize component performance 10-3  
 Design stresses  
   effect of temperature 3-25  
 Diffusion bonding 8-9, 11  
 Dimensional accuracy reduces costs 11-3  
 Ductile-brittle transition  
   effect of Cu, Ni, P 3-45  
 Ductile Ni-Resist Irons  
   applications 5-9  
   Charpy impact properties 5-11  
   corrosion resistance 5-13  
   electrical resistivity 5-15  
   erosion resistance 5-15  
   heat treatment 5-17  
   machinability 5-17  
   magnetic properties 5-15  
   mechanical properties 5-9, 11  
     high temperature 5-13  
     low temperature 5-11  
   oxidation resistance 5-13  
   specifications 5-9, 12-1, 3, 5, 7  
   thermal expansion 5-15  
   thermal fatigue resistance 5-13  
   wear resistance 5-13  
 Dynamic Elastic Modulus 3-3  
   effect of carbides 3-17  
   effect of graphite volume 3-15  
   effect of nodularity 3-11  
   vs tensile properties 3-5  
 Dynamic Tear test 3-53  
   of ferritic/pearlitic Ductile Iron 3-53  
   specimen 3-40

## E

Elastic Behaviour 3-3  
   see Modulus of Elasticity  
 Electrical resistivity 3-61, 5-15  
 Elongation 3-5  
   as-cast, effect of matrix 3-19  
   as-cast, effect of Cu, Sn 3-19  
   effect of heat treatment 3-19  
   vs hardness 3-11  
   role in Quality Index 3-7  
 Embrittlement 3-25  
   effect of environment 3-25  
   due to galvanizing 3-53  
   effect of matrix 3-25  
   effect of composition 3-53  
   due to tempering 3-53  
 Endurance limit see Fatigue limit  
 Endurance ratio 3-27, 29  
   effect of matrix 3-29

## F

Fatigue limit 3-27, 29  
 Fatigue strength 3-27  
   effect of coatings 3-35  
   effect of environment 3-33  
   effect of filtration 3-33  
   effect of inclusions 3-31  
   effect of matrix 3-33  
   effect of nodule shape, size 3-29, 31  
   effect of shot peening 3-35  
   effect of surface rolling 3-37  
   effect of surface defects 3-31, 33  
   effect of surface treatments 3-37  
   how to optimize 3-37  
   vs microhardness 3-33  
 Fatigue strength reduction factor 3-31  
   see Notch sensitivity ratio  
 Ferrite 2-5  
 Ferritic Ductile Iron 2-11  
   see also high Si, Si-Mo Ductile Iron  
   Charpy impact properties 3-41, 43, 45, 47  
   vs steel 3-49  
   Modified Charpy properties 3-49, 51  
   vs steel 3-51  
   low temperature tensile properties 3-21  
   high temperature tensile properties 3-23, 5-3  
   for low temperature toughness 3-43  
   creep, stress rupture properties 3-23, 5-3, 5  
   thermal fatigue properties 3-39, 5-5  
 Ferritizing see Annealing  
 Fillet rolling of crankshafts  
   effect on fatigue strength 3-37  
 Filters, gating system  
   effect on fatigue strength 3-33  
 Flame hardening  
   effect on wear resistance 3-65  
 Fracture testing 3-41, 43  
 Fracture toughness 3-49, 51, 4-7 (fig 4.2)

## G

- Galling resistance 3-63, 5-13
- Galvanizing
  - embrittlement 3-53
- Gears
  - ADI 4-11, 35, 39
  - induction hardened pearlitic 3-33
- Graphite 2-5
  - flotation 3-17
  - shape – see Nodularity
  - volume, effect on DEM 3-15
- Gray Iron 2-7

## Growth, high temperature

- Ductile vs Gray Iron 3-21-25
- effect of composition 3-25
- effect of matrix 3-25

## H

- Hardenability 4-29, 7-7
  - effect of composition 4-27, 7-7
- Hardness 3-9, 11
  - effect of Cu, Sn 3-19, 21
  - effect of pearlite content 3-19
  - vs ASTM A536 grades 3-9
  - vs compressive properties 3-55
  - vs tensile properties 3-11
- HEAT TREATMENT – Section VII
  - controlled shakeout 7-3
  - Ductile Ni-Resist Irons 5-17
  - high Si, Si-Mo Ductile Iron 5-7
  - effect of critical temperature 7-3
  - effect on Charpy impact properties 3-45

## I

- Inclusions, effect on fatigue strength 3-31

## L

- Low temperature
  - mechanical properties 3-21
  - toughness 3-43, 5-11

## M

- MACHINABILITY – Section VI
  - Ductile Ni-Resist Irons 5-17
  - effect of microstructure 6-1, 3
  - effect on manufacturability 6-5, 7
  - surface finish 6-5
- Manufacturability
  - advantages of Ductile Iron 6-5, 7
  - high Si, Si-Mo Ductile Iron 5-7
- Magnetic properties 3-61, 5-15
- Malleable iron 2-7
- Manganese
  - effect on hardenability 4-20, 7-7
  - harmful effects 3-45, 4-20, 21, 7-9
- Martensitic Ductile Iron 2-13
- Microhardness 3-11
  - vs tensile properties 3-11
  - vs fatigue strength 3-33

## Microstructure

- effect on Charpy impact properties 3-43

## Modulus of Elasticity

- Ductile Iron, Steel 3-3
- ADI 4-6, 7
- other materials 4-6

## Modulus of Rigidity 3-55

- Molybdenum 5-5, 13
  - effect on creep, rupture properties 3-23, 5-5
  - effect on hardenability 4-26, 29, 7-9
  - in high-silicon iron 5-5

## N

### Nickel

- effect on hardenability 4-26, 29, 7-7
- effect on thermal expansion 5-15
- effect on toughness 3-45

### Nodularity

- effect of composition on 3-13
- effect on Charpy impact properties 3-47
- effect on DEM 3-11
- effect on fatigue strength 3-29, 31
- effect on notch sensitivity ratio 3-31
- effect on tensile properties 3-13

### Nodule count

- effect on carbide formation 3-15
- effect on Charpy impact properties 3-47
- effect on matrix 3-15

### Normalizing 7-5

- effect on Charpy impact properties 3-45
- effect on hardness 3-19, 21, 7-5
- effect on tensile properties 3-19, 21, 7-5

### Notch sensitivity ratio 3-29, 31

- effect of nodularity on 3-31

## O

### ORDERING CASTINGS – Section XI

- Benefits of quality 11-1, 3
- Buying on “competitive” pricing 11-3
- Buying on value analysis 11-3
- Customer-supplier partnership 11-1, 3
- Quality management in purchasing 11-3, 5
- Supplier selection 11-1
- Oxidation resistance 3-25
  - Ductile Ni-Resist Irons 5-13
  - Ductile vs Gray Iron 3-25
  - effect of aluminum 3-25
  - effect of silicon 5-1, 3
  - high Si, Si-Mo Ductile Irons 5-1, 3, 5

## P

### Pearlite 2-5

### Pearlite content

- effect on mechanical properties 3-19
- in as-cast Ductile Iron
  - effect of Cu, Sn on 3-19

### Pearlitic Ductile Iron 2-13

### Pearlitic-ferritic Ductile Iron 2-13

Phosphorus  
  embrittlement 3-45, 53  
  effect on Quality Index 3-7  
Poisson's Ratio 3-3  
Proof stress see Yield strength  
Properties effect of section size (fig. 11.2)

## Q

Quality Index 3-7, 9  
Quenching  
  effect of variables on hardness 7-7  
  media 7-9  
Quenching and Tempering  
  effect on Charpy impact properties 3-45  
  effect on mechanical properties 7-11

## R

Residual stresses 7-13  
Retained austenite 4-5

## S

SAE J434C 12-6  
Section sensitivity 11-4  
Shake out 7-13  
Shot peening 9-1  
  ADI 4-35  
  effect on fatigue strength 3-35  
Silicon content  
  effect on Charpy impact properties 3-45  
  effect on creep, stress rupture properties 3-23, 5-3  
  effect on critical temperature 5-1  
  effect on embrittlement 3-53  
  effect on mechanical properties 5-3  
  effect on oxidation resistance 5-3  
Si-Mo Ductile Iron  
  applications 5-5  
  creep, stress-rupture properties 5-5  
  growth, oxidation resistance 3-39, 5-1, 3  
  machinability 5-7  
  production requirements 5-7  
  thermal fatigue properties 3-39, 5-5  
Specific heat 3-61  
SPECIFICATIONS – Section XII  
Standards organizations 12-13  
Stress relief 7-13, 15  
Stress-strain curve for ductile metals 3-2  
Stress rupture properties  
  effect of aluminum 3-23  
  effect of molybdenum 3-23, 5-5  
  effect of silicon 3-23, 5-3, 5  
  Ductile Ni-Resist 5-13  
  high-Si, Si-Mo Ductile Irons 5-3, 5  
  unalloyed ferritic Ductile Iron 3-23  
  unalloyed pearlitic Ductile Iron 3-23  
Surface hardening, 7-13, 9-1, 3  
SURFACE TREATMENT – Section IX  
  electroplated coatings 9-3  
  diffusion coatings 9-3  
  fusion coatings 9-3

  hot-dipped coatings 9-3  
  shot-peening 3-35, 4-35, 9-1  
  surface rolling 4-25, 9-3  
  thermal hardening 3-37, 7-13, 9-1

## T

TTT diagrams 7-9  
Temper embrittlement 3-53  
Tempering 7-11  
  effect on mechanical properties 7-11  
Tensile properties  
  as-cast Ductile Iron 3-19  
  effect of carbide content 3-17  
  effect of Cu, Sn 3-19, 21  
  effect of environment 3-25  
  effect of heat treatment 3-19, 21  
  effect of microstructure 3-11-21  
  effect of nodule count 3-13, 15  
  effect of nodularity 3-11, 13  
  defined by Quality Index 3-7, 9  
  effect of temperature 3-21  
  vs microhardness 3-11  
Tensile strength 3-5  
  role in Quality Index 3-7, 9  
  vs ASTM A536 grades 3-9  
  vs hardness 3-11  
Thermal conductivity 3-61, 5-15  
Thermal expansion 3-59, 5-15  
Thermal fatigue 3-39, 5-5, 13  
Tin  
  effect on mechanical properties 3-19  
Torsional properties 3-55

## W

Wear resistance 3-63, 65  
  Ductile Ni-Resist Irons 5-13  
  effect of flame hardening 3-65  
  effect of microstructure 3-63  
  vs surface hardness 3-65  
Weight/unit of strength 4-3  
Weldability 8-1  
WELDING – Section VIII  
  consumables 8-3, 5  
  flux cored arc 8-3  
    mechanical properties 8-3, 5  
  gas fusion 8-5  
  joint design 8-7  
  pre- and postheating 8-7  
  shielded metal arc 8-3  
  short arc MIG 8-3  
    mechanical properties 8-3

## Y

Yield strength 3-5  
  see Tensile properties

## Z

Zinc coating  
  effect on corrosion fatigue 3-35